FITLE: METHOD FOR MANUFACTURING OXIDE FILM HAVING HIGH DIELECTRIC CONSTANT, CAPACITOR HAVING DIELECTRIC FILM FORMED USING THE METHOD,

AND METHOD FOR MANUFACTURING TH€ SAME

NVENTOR(S): JUNG-HYUN LEE ET AL. ATTORNEY DOCKET No.: 030681-634

SHEET 1 OF 10

FIG. 1(Prior Art)




FIG. 2 (Prior Art)





FIG. 3(Prior Art)



TITLE: METHOD FOR MANUFACTURING OXIDE FILM HAVING HIGH DIELECTRIC CONSTANT, CAPACITOR HAVING DIELECTRIC FILM FORMED USING THE METHOD,

AND METHOD FOR MANUFACTURING THE SAME

INVENTOR(S): JUNG-HYUN LEE ET AL. ATTORNEY DOCKET NO.: 030681-634

SHEET 2 OF 10

FIG. 4




FIG. 5





FIG. 6



FITLE: METHOD FOR MANUFACTURING OXIDE FILM HAVING HIGH DIELECTRIC CONSTANT, CAPACITOR HAVING DIELECTRIC FILM FORMED USING THE METHOD,

AND METHOD FOR MANUFACTURING THE SAME

NVENTOR(S): JUNG-HYUN LEE ET AL. ATTORNEY DOCKET NO.: 030681-634

SHEET 3 OF 10

FIG. 7




FIG. 8





FIG. 9



TITLE: METHOD FOR MANUFACTURING OXIDE FILM HAVING HIGH DIELECTRIC CONSTANT, CAPACITOR HAVING DIELECTRIC FILM FORMED USING THE METHOD,

AND METHOD FOR MANUFACTURING THE SAME

INVENTOR(S): JUNG-HYUN LEE ET AL.
ATTORNEY DOCKET NO.: 030681-634

SHEET 4 OF 10

FIG. 10




FIG. 11





FIG. 12



FITLE: METHOD FOR MANUFACTURING OXIDE FILM HAVING HIGH DIELECTRIC CONSTANT, CAPACITOR HAVING DIELECTRIC FILM FORMED USING THE METHOD,

AND METHOD FOR MANUFACTURING THE SAME

NVENTOR(S): JUNG-HYUN LEE ET AL. ATTORNEY DOCKET NO.: 030681-634

SHEET 5 OF 10

FIG. 13





FIG. 14



TITLE: METHOD FOR MANUFACTURING OXIDE FILM HAVING HIGH DIELECTRIC CONSTANT, CAPACITOR HAVING DIELECTRIC FILM FORMED USING THE METHOD,

AND METHOD FOR MANUFACTURING THE SAME

INVENTOR(S): JUNG-HYUN LEE ET AL.
ATTORNEY DOCKET NO.: 030681-634

SHEET 6 OF 10

FIG. 15A





FIG. 15B



fitte: METHOD FOR MANUFACTURING OXIDE FILM HAVING HIGH DIELECTRIC CONSTANT, CAPACITOR HAVING DIELECTRIC FILM FORMED USING THE METHOD,

AND METHOD FOR MANUFACTURING THE SAME

NVENTOR(S): JUNG-HYUN LEE ET AL. ATTORNEY DOCKET NO.: 030681-634

SHEET 7 OF 10

FIG. 16A





FIG. 16B



TITLE: METHOD FOR MANUFACTURING OXIDE FILM HAVING HIGH DIELECTRIC CONSTANT, CAPACITOR HAVING DIELECTRIC FILM FORMED USING THE METHOD,

AND METHOD FOR MANUFACTURING THE SAME

INVENTOR(S): JUNG-HYUN LEE ET AL. ATTORNEY DOCKET No.: 030681-634

SHEET 8 OF 10

FIG. 17A





FIG. 17B



TITLE: METHOD FOR MANUFACTURING OXIDE FILM HAVING HIGH DIELECTRIC CONSTANT, CAPACITOR HAVING DIELECTRIC FILM FORMED USING THE METHOD,

AND METHOD FOR MANUFACTURING THE SAME

NVENTOR(S): JUNG-HYUN LEE ET AL. ATTORNEY DOCKET NO.: 030681-634

SHEET 9 OF 10

FIG. 18




FIG. 19





FIG. 20



TITLE: METHOD FOR MANUFACTURING OXIDE FILM HAVING HIGH DIELECTRIC CONSTANT, CAPACITOR HAVING DIELECTRIC FILM FORMED USING THE METHOD,

AND METHOD FOR MANUFACTURING THE SAME

INVENTOR(S): JUNG-HYUN LEE ET AL.
ATTORNEY DOCKET NO.: 030681-634

SHEET 10 OF 10

FIG. 21

